## **Receiving Report**

Da	ate: 14/4/1/	_		Batch No:	M/2	Jf 32	
Su	ipplier: CONEA	viddis.	~	Dart P/O:	23	71/	
Packing Slip: Invoice: Receipt: New Supplier	Yes No Yes No Cash Cr Yes No		Release N Waybill At Shipment QC18 Insp Work Orde	tached: Complete: pection	Yes	No No No	N/A N/A N/A
Discrepancies		Quantity	Quantity	Quantity	Quantity	Quantity	Comment / NCR Number
Part Number	Description	Ordered	Rec'd	Short	Inspected	Rejected	Number
		<u> </u>					
		:					
	L	<u> </u>	<u> </u>	Initials of	Receiver	QC12	
Production/Ad Date Received/Cos Initial		,				Locatio	n

H:\FORMS\Purchasing\approved purch\RECREPORT Rev F



Dart Aerospace Ltd. 1270 Aberdeen Street Hawkesbury, ON K6A 1K7

Tel: 613 632 9577 Fax: 613 632 1053

#### **PURCHASE ORDER**

#### Purchase Order ID PO23711

Purchase Order Date 4/9/2014 PO Print Date 4/9/2014

Page Number 1 of 2

Order From:

C.O.R.E. AVIATION SERVICES 16305 E. TWIN ACRES DRIVE GILBERT, AZ 85297

VU-COR001

DART AEROSPACE LTD Ship To:

1270 ABERDEEN

HAWKESBURY, ON K6A 1K7

CANADA

**Contact Name** 

Vendor Phone

**Ship To Contact** 

**Ship To Phone** 

480 497 6136

FedEx PI collect

Buyer

Michael Gregoire

**Customer POID** 

Customer Tax #

10127-2607

Terms Currency Net 10

USD

FOB

FCA - (Free Carrier)

Ship Via: Ship Acct:

						M128830	
Line Nbr	Reference Vendor Part Number Line Comments Delivery Comments	Description/ Mfg ID	Req Date/ Taxable Promise Date	CD	Req Qty/ Unit of Measure	PO Unit Price	Extended Price
36	AN3C41A	Bolt	4/16/2014 Yes 4/16/2014	FN	25.00 Each	\$18.95	\$473.75

AN3C42A Bolt 4/16/2014 FN 25.00 \$9.75 Yes Each 353

4/16/2014

Line Total:

Line Total:

\$243.75

\$473.75

\$243.75

AN5C34A

Bolt

4/16/2014

Yes

10.00

Each

4/16/2014

\$21.00

\$210.00

Note:



Dart Aerospace Ltd. 1270 Aberdeen Street Hawkesbury, ON K6A 1K7

Tel: 613 632 9577 Fax: 613 632 1053

#### PURCHASE ORDER

#### Purchase Order ID PO23711

Purchase Order Date 4/9/2014 PO Print Date 4/9/2014

Page Number 2 of 2

Order From:

C.O.R.E. AVIATION SERVICES 16305 E. TWIN ACRES DRIVE GILBERT, AZ 85297 US

VU-COR001

Ship To: DART AEROSPACE LTD

1270 ABERDEEN

HAWKESBURY, ON K6A 1K7

**CANADA** 

**Contact Name** 

Vendor Phone

**Ship To Contact** 

Ship To Phone

480 497 6136

FedEx PI collect

Buver

Michael Gregoire

**Customer POID** 

Customer Tax #

10127-2607

Terms

Net 10

Currency

USD

**FOB** 

FCA - (Free Carrier)

Ship Acct:

Ship Via:

4/16/2014

Each

0.00

\$3.25

\$48.75

\$210.00

2000-6S

Hose Clamp

Yes 4/16/2014

Line Total:

Line Total:

\$48,75

71401-45

4/16/2014

No

\$0.00

\$0.00

4/16/2014

Procurement Quality Clauses A005 RIGHT OF ENTRY

A012 CHEMICAL AND PHYSICAL TEST REPORTS A016 PERSONNEL QUALIFICATION

A026 CERTIFICATION OF MATERIAL CONFORMANCE A032 PUBLIC LAW 101-592 FASTENER QUALITY ACT

A033 STATEMENT OF CONFORMITY/TEST RECORDS

FOR NAS, AN and MS FASTENERS

A040 NOTIFICATION OF QUALITY ESCAPE

A041 QUALITY MANAGEMENT SYSTEM

A042 DART NOTIFICATION BY SUPPLIER A043 RETENTION OF QUALITY DOCUMENTS

Line Total:

\$0.00

PO Total:

\$976.25

Note: Terms & Condition of Purchasing(Suppliers) and Procurement Quality Clauses are an integral part of our AS9100 requirements. To learn in detail, please visit www.dartaerospace.com for further explaination.

Change Nbr:

2

**Change Date:** 

4/9/2014

M. Aregone



Ò

#### **PACKING LIST**

DELIVERY NUMBER: 8000254212

**ROUTE: US FedEx Ground** 

PAGE:1 of 1 DATE:04/09/2014

TIME:13:51:29 EMP:00020262 ORD TYP: ZOR 121

CURRENCY:USD

CUSTOMER PO:23711-5
ORDER NUMBER:1000203806
ORDER DATE:04/09/2014

10020724 C.O.R.E. AVIATION SERVICES 16305 E TWIN ACRES DR GILBERT AZ 85298-8433 USA S 10020724 H C.O.R.E. AVIATION SERVICES I 16305 E TWIN ACRES DR GILBERT AZ 85298-8433 USA T S 1040 H AVIALL PHOENIX CSC I PHOENIX SALES OFFICE P 2340 W BROADWAY RD, STE 101 MESA AZ 85202-1883 F USA R

LINE	PO LINE	MFG	ITEM DESCRIPTION	ORDER QUANTITY	SHIP QUANTITY	QUANTITY BACK ORDER	MOU	LIST PRICE	CUSTOMER PRICE	EXTENDED CUSTOMER PRICE
	10 BATCH ( BATCH 1	907801	923	25	25 5 10 10		EA			

# This is not an Invoice. For payment processing, please refer to Invoice.

The recipient of these goods agrees to comply with all export regulations governing the transfer, sale, lease, or use of these goods. Diversion contrary to U.S. Law is prohibited.

CERTIFICATE OF CONFORMANCE

It is hereby certified that Aviall Services, Inc., is an approved distributor and meets all requirements of ISO9001, AS9100, AS9120 and AC 00-56 at 2750 Regent Blvd. DFW Airport, Texas. The products, articles or parts referenced on this document are in new or overhauled condition and were purchased from an approved source (FAA, EASA, TCCA, Mil Spec or Commercial). The Original Manufacturers' Certifications are maintained on file at our central office location, and copies are available upon request or at Aviall.com. For overhauled or repaired products, articles or parts, the original FAA 8130-3 / EASA Form 1 (Return to Service) or Yellow Tag, from the FAAJAA/EASA approved Air Agency are attached to the component.

04/09/2014

DISCOUNT TERMS APPLY ONLY TO SUB TOTAL. ALL RETURNED MERCHANDISE SUBJECT TO HANDLING

THIS IS TO CERTIFY THAT AVIALL HAS COMPLIED WITH THE PROVISIONS OF THE FAIR LABOR ACT OF 1938 AMENDED.

CUSTOMER COPY

AV20 RS-06

JR Hofmann, Director, Global Quality

Date

User Name:

## otarchive

Application Name: mmc.exe

Time: 13:51:2

Date: 4/9/2014

certi to to to

HCS ROANOKE MAIN CONSUMABLES SOLUTIONS 700 HENRIETTA CREEK RD ROANOKE TX 76262





CUSTOMER CODE

1463

S AVIALL SERVICES, INC.
O ATTN: AP DEPARTMENT

P. O. BOX 619048

T DALLAS TX 75261-9048

H CE P 2750 REGENT BLVD DALLAS TX 75261

9/8/07

#### - 1 DE 1010 (1200 MILLER) (1200 MILLER) (1300 MILLER)

PURCHASE ORDER NO.

727519

#### CUSTOMER RELEASE NO.

0

SALES ORDER NO. 5948936

PACKED BY	WEIGHT	NO. CTNS.	SHIP V		WAYBILL		F.O.B.	
	.000		Pic	k Up			ORIGIN	
DATE CONSO 9/05/0		SKU/Cart #					BOX ID 0000037375	
	QUANT	ITY		DART NUM	MBER / DESCRIP	TION		
QTY.DUE	BACK ORDERED	SHIPPED	U/M	FANTINON	iben / Deschir	TION	Manufacturer Lot#	HPG Lot#
1300	0	1300	EA	20006S CLAMP				
					QTY: STRIAL PRODUCTS	151 S-PA	0806	0608046236
				MFG. NAME :	QTY: STRIAL PRODUCTS	200 S-PA	0806	0608046237
				MFG. NAME :	QTY:	200	0806	0608046238
·	***			REV LEVEL : MFG. NAME : BREEZE INDU	STRIAL PRODUCTS  QTY:  STRIAL PRODUCTS	200 200	0806	+, * **
				MFG. NAME : BREEZE INDU	QTY: STRIAL PRODUCTS	200 3-PA	0806	0608046240
				MFG. NAME :	QTY: STRIAL PRODUCTS	200 5-PA	0806	0608046241
			ļ	MFG. NAME :	QTY:	149	0806	0608046242
					STRIAL PRODUCTS	S-PA		
Contin	wed			DIN 10. 200	VVD-20			

#### RETURNS

THE MANUFACTURER OF THE ARTICLES COVERED BY THIS INVOICE HAS CERTIFIED TO US THAT SUCH ARTICLES WERE PROCURED, AND WE CERTIFY THAT OUR SERVICES HAVE BEEN RENDERED, IN COMPLIANCE WITH ALL APPLICABLE REQUIREMENTS OF THE FAIR LABOR STANDARDS ACT OF 1938, AS AMENDED

CUSTOMER ACKNOWLEDGES RECEIPT OF MERCHANDISE ABOVE UNLESS SHORTAGE IS REPORTED IN 10 DAYS. WRITTEN AUTHORIZATION MUST BE SECURED FOR ANY MERCHANDISE RETURNED.

#### CERTIFICATION

WE CERTIFY THAT THE MATERIAL FURNISHED ON THIS ORDER CONFORMS IN ALL RESPECTS TO APPLICABLE BLUEPRINTS AND SPECIFICATIONS. EVIDENCE OF SUCH IS ON FILE WITH US OR OUR SUPPLIERS SUBJECT TO EXAMINATION.

HCS ROANOKE MAIN CONSUMABLES SOLUTIONS 700 HENRIETTA CREEK RD **ROANOKE TX 76262** 



CUSTOMER CODE

1463

AVIALL SERVICES, INC. ATTN: AP DEPARTMENT D P. O. BOX 619048 DALLAS TX 75261-9048 S AVIALL CENTRAL WAREHOUSE 2750 REGENT BLVD. DALLAS TX 75261

#### 1161([[1616][

PURCHASE ORDER NO.

727519

#### CUSTOMER RELEASE NO.

0

SALES ORDER NO. 5948936

PACKED BY	WEIGHT . 000	NO. CTNS.	SHIPV	k Up	WAYBILL		F.O.B. ORIGI	N	
DATE CONSC 9/05/0	DLIDATED	SKU/Cart #	1.10				BOX ID		
9/05/0		1		r			00000373	75	
	QUANTI			PART NUM	MBER / D	ESCRIPTION	<del></del>	, .	
QTY.DUE	BACK ORDERED	SHIPPED	U/M	11.011			<u>Manufa</u>	acturer Lot#	HPG Lot#
				CUST STOCK SORT 1: 082 SORT 4: 148 CONTROL NO.	00				
				DO NOT PICK DIVISIBLE BY	ANYTHING PACKAGI	G *********** OTHER THAN Q NG REQUIREMEN UIREMENTS ON	UANTITIES TS (NO PAR		
			and y					End of	Packing Lis
				-	Alexander and the second secon				

#### RETURNS

THE MANUFACTURER OF THE ARTICLES COVERED BY THIS INVOICE HAS CERTIFIED TO US THAT SUCH ARTICLES WERE PROCURED, AND WE CERTIFY THAT OUR SERVICES HAVE BEEN RENDERED, IN COMPLIANCE WITH ALL APPLICABLE REQUIREMENTS OF THE FAIR LABOR STANDARDS ACT OF 1938, AS AMENDED.

CUSTOMER ACKNOWLEDGES RECEIPT OF MERCHANDISE ABOVE UNLESS SHORTAGE IS REPORTED IN 10 DAYS. WRITTEN AUTHORIZATION MUST BE SECURED FOR ANY MERCHANDISE RETURNED.

#### CERTIFICATION

WE CERTIFY THAT THE MATERIAL FURNISHED ON THIS ORDER CONFORMS IN ALL RESPECTS TO APPLICABLE BLUEPRINTS AND SPECIFICATIONS. EVIDENCE OF SUCH IS ON FILE WITH US OR OUR SUPPLIERS SUBJECT TO EXAMINATION.

HCS ROANOKE MAIN CONSUMABLES SOLUTIONS 700 HENRIETTA CREEK RD ROANOKE TX 76262

SHIPPED DATE: 9/05/07

PURCHASE 727519 ORDER NO.

#### CERTIFICATE OF CONFORMANCE

CUSTOMER CODE

1463

CUSTOMER 0

AVIALL SERVICES, INC. ATTN: AP DEPARTMENT P. O. BOX 619048 DALLAS TX 75261-9048 S AVIALL
CENTRAL WAREHOUSE
P 2750 REGENT BLVD.
DALLAS TX 75261

SALES ORDER NO. 5948936

ITEM	QUANTIT	Y Y	PART NUMBER / DESCRIPTION		
NO.	SHIPPED	U/M	, , , , , , , , , , , , , , , , , , , ,	Manufacturer Lot#	HPG Lot#
1	1300.00	EA	200068 CLAMP OTY: 15	1 0806	0608046236
			MFG. NAME : BREEZE INDUSTRIAL PRODUCTS-PA REV LEVEL : -		
			QTY: 200 MFG. NAME : BREEZE INDUSTRIAL PRODUCTS-PA REV LEVEL : -	0806	0608046237
	į		QTY: 200 MFG. NAME : BREEZE INDUSTRIAL PRODUCTS-PA REV LEVEL : -	0806	0608046238
			QTY: 200 MFG. NAME : BREEZE INDUSTRIAL PRODUCTS-PA	0806	0608046239
			REV LEVEL : -  QTY: 200  MFG. NAME :  BREEZE INDUSTRIAL PRODUCTS-PA  REV LEVEL : -	0806	0608046240
			MFG. NAME :  BREEZE INDUSTRIAL PRODUCTS-PA REV LEVEL : -	0806	0608046241
	c	ust s	QTY: 14:  MFG. NAME :  BREEZE INDUSTRIAL PRODUCTS-PA  REV LEVEL : -  BIN ID: 20006S=28  OCKING #: 20006S=28	0806	0608046242
En	i of Certifi	cate	CONTROL NO.: 14960132		
<u> </u>					

This is to certify that all articles delivered on this order conform to all applicable blueprint and specification requirements. Evidence of such is on file with us and our suppliers subject to examination.

HONEYWELL - CONSUMABLES SOLUTIONS

Quality Assurance Director

T-091 P001/001 F-328



#### BREEZE INDUSTRIAL PRODUCTS CORPORATION

ISO/TS 16949 & ISO 9001 Standards

3582 Tunnetton Road, Saltsburg, PA 15681-9594, U.S.A.

Clamp Products

Tel 724-639-3571 • Fax 724-639-3020

January 8, 2007

HONEYWELL HPG 700 HENRIETTA CREEK ROAD ROANOKE, TX. 76262-6398

In compliance with your request for actual chemical and physical breakdown of Breeze Industrial Products Corp. part number: 200 06 S (lot # 0806), on your PO# 0864756, we are pleased to submit the following information:

BAND - Type 301 Stainless Steel- Heat # 7360029

Chemical — C=0.10 Mn=1.10 P=0.025 S=0.001 Si=0.51 Cr=17.41 Ni=7.17 Mo=0.22 Cu=0.23 Mechanical — Hardness RC 28 Tensile PSI=171,200 Yield PSI=135,700 Elongation(in 2")=25.6%

SADDLE - Type 301 Stainless Steel - Heat # 8488

Chemical -- C=0.097 Mn=1,68 P=0.028 S=0.001 Si=0.37 Cr=17.22 Ni=6.64 N=0.051 Cu=0.68 Mechanical -- Hardness=RB 86 Tensile PSI=102,600 Yield PSI=48,300 Elongation(in 2")=51.9%

HOUSING - Type 301 Stainless Steel - Heat # 90P3

Chemica; -- C=0.092 Mn=1.77 P=0.030 S=0.001 Si=0.37 Cr=17.29 Ni=8.67 N=0.39 Cu=0.76 Mechanical -- Hardness=RB 88 Tensile PSI=109,600 Yield PSI=51,700 Elongation(in 2")=61.3%

SCREW - Type 410 Stainless Steel - Heat/Lot # 23575 #511342-005 Chemical -- C=0.22 Mn=0.91 P=0.015 S=0.012 SI=0.44 Cr=12.16 Mechanical -- Tensile PSI=67,600

Please contact your customer service representative if additional information is required.

Sincerely,

Rick Stegman

Rick Stegman, Quality Supervisor

CHEYAL T 60 K

E-Mail: breeze@breezeclampa.com

www.breezeolamps.com



#### BREEZE INDUSTRIAL PRODUCTS CORPORATION

ISO/TS 16949 & ISO 9001

Certified to

Standards

3582 Tunnelton Road, Saltsburg, PA 15681-9594, U.S.A.

Clamp Products

Tel 724-639-3571 • Fax 724-639-3020

08/21/2006

HONEYWELL HPG 700 HENRIETTA CREEK ROAD ROANOKE,TX 76262-6398

#### **CERTIFICATE OF CONFORMANCE:**

I hereby certify that this shipping lot of

 Your Part Number
 20006S

 Our Part Number
 200 06 S

 Lot Number
 0806

 Quantity Shipped
 4000

were produced in accordance with raw material, dimensional and functional specifications as described on your purchase order 0664756 dated 02/06/2006.

Yours Truly,

BREEZE INDUSTRIAL PRODUCTS CORP.

Rick Stegman

Rick Stegman, Quality Manager

Breeze Order No. 190677 CERTSTD

Www.breezeclamps.com

E-Mail: breeze@breezeclamps.com



**PACKING LIST** 



**DELIVERY NUMBER: 8000254212** 

**ROUTE: US FedEx Ground** 

PAGE:1 of 1 DATE:04/09/2014

TIME: 13:51:29 EMP:00020262

EXTENDED

**ORD TYP: ZOR 121 CURRENCY: USD** 

**ORDER DATE:**04/09/2014 10020724

C.O.R.E. AVIATION SERVICES 16305 E TWIN ACRES DR GILBERT AZ 85298-8433

**CUSTOMER PO:23711-5** 

**ORDER NUMBER: 1000203806** 

10020724 C.O.R.E. AVIATION SERVICES 16305 E TWIN ACRES DR GILBERT AZ 85298-8433 0

1040 AVIALL PHOENIX CSC PHOENIX SALES OFFICE 2340 W BROADWAY RD, STE 101 MESA AZ 85202-1883 USA

PRICE

ORDER QUANTITY SHIP QUANTITY QUANTITY BACK ORDER CUSTOMER LINE LINE MFG DESCRIPTION UOM LIST PRICE 00010 10 28 20006S 25 25 0 EA CLAMP: HOSE 6IN BATCH 0508980628 5 BATCH 0907801923 10 BATCH 1009134599 10

### This is not an Invoice. For payment processing, please refer to Invoice.

The recipient of these goods agrees to comply with all export regulations governing the transfer, sale, lease, or use of these goods. Diversion contrary to U.S. Law is prohibited.

CERTIFICATE OF CONFORMANCE

It is hereby certified that Aviall Services, Inc., is an approved distributor and meets all requirements of ISO9001, AS9100, AS9120 and AC 00-56 at 2750 Regent Blvd. DFW Airport, Texas. The products, articles or parts referenced on this document are in new or overhauled condition and were purchased from an approved source (FAA, EASA, TCCA, Mil Spec or Commercial). The Original Manufacturers' Certifications are maintained on file at our central office location, and copies are available upon request or at Aviall.com. For overhauled or repaired products, articles or parts, the original FAA 8130-3 / EASA Form 1 (Return to Service) or Yellow Tag, from the FAA/JAA/EASA approved Air Agency are attached to the component

DISCOUNT TERMS APPLY ONLY TO SUB TOTAL. ALL RETURNED MERCHANDISE SUBJECT TO HANDLING

THIS IS TO CERTIFY THAT AVIALL HAS COMPLIED WITH THE PROVISIONS OF THE FAIR LABOR ACT OF 1938 AMENDED

**CUSTOMER COPY** 

04/09/2014

User Name:

## otarchive

Application Name: mmc.exe

Time: 13:50:41

Date: 4/9/2014

M & M AEROSPACE MIAMI 10000 N.W. 15th TERRACE MIAMI FL 33172



1463 CUSTOMER CODE

AVIALL SERVICES, INC.

ATTN: AP DEPARTMENT p P. O. BOX 619048

DALLAS TX 75261-9048

1096110 PO

JINTHACHA

10/9/09

PURCHASE ORDER NO.

1096110

CUSTOMER RELEASE NO.

7531084 SALES ORDER NO

DATE CONSC 10/05/0	WEIGHT . 000	NO, CTNS.	Our SHIP VI	A Truck	WAYBILL	F.O.B. ORIGIN BOX ID	
OTY.DUE	Q U A N T	I T Y SHIPPED	U/M		MBER / DESCRIPTION	0000102627 Manufacturer Lote	CS Lot#
800		800	BA	MFG. NAME BREEZE INDI REV LEVEL BIN ID: 200 CUST STOCK SORT 1: 08: SORT 4: 800 CONTROL NO	CSTRIAL PRODUCTS-PA  CONTROL P		0808039278 0808039278

#### RETURNS

THE MANUFACTURER OF THE ARTICLES COVERED BY THIS INVOICE HAS CERTIFIED TO US THAT SUCH ARTICLES WERE PROCURED, AND WE CERTIFY THAT OUR SERVICES HAVE BEEN RENDERED, IN COMPLIANCE WITH ALL APPLICABLE REQUIREMENTS OF THE FAIR LABOR STANDARDS ACT OF 1938, AS AMENDED.

CUSTOMER ACKNOWLEDGES RECEIPT OF MERCHANDISE ABOVE UNLESS SHORTAGE IS REPORTED IN 10 DAYS. WRITTEN AUTHORIZATION MUST BE SECURED FOR ANY MERCHANDISE RETURNED.

#### CERTIFICATION

WE CERTIFY THAT THE MATERIAL FURNISHED ON THIS ORDER CONFORMS IN ALL RESPECTS TO APPLICABLE BLUEPRINTS AND SPECIFICATIONS. EVIDENCE OF SUCH IS ON FILE WITH US OR OUR SUPPLIERS SUBJECT TO EXAMINATION.

M & M AEROSPACE MIAMI 10000 N.W. 15th TERRACE MIAMI FL 33172

SHIPPED DATE: 10/05/09

PURCHASE 1096110

## CERTIFICATE OF CONFORMANCE

CUSTOMER CODE

1463

CUSTOMER 0

AVIALL SERVICES, INC.
ATTN: AP DEPARTMENT
P. O. BOX 619048
DALLAS TX 75261-9048

S AVIALL
CENTRAL WAREHOUSE
2750 REGENT BLVD.
DALLAS TX 75261

SALES ORDER NO. 7531084

0			0	
ТЕМ	QUANTIT	Y U/M	PART NUMBER / DESCRIPTION Manufacture	er Lot#   CS Lot#
1	800.00		CLAMP QTY: 90 0907	080803927
			BREEZE INDUSTRIAL PRODUCTS-PA REV LEVEL : -  MFG. NAME :  BREEZE INDUSTRIAL PRODUCTS-PA REV LEVEL : -  BIN ID: 20006S=28 TOCKING #: 20006S=28	080803927
End	of Certifi		CONTROL NO.: 18894264	
		4		
LAMABAR DODGO LLOVARRAMAN				
programma processor (a scalabilitares				

This is to certify that all articles delivered on this order conform to all applicable blueprint and specification requirements. Evidence of such is on file with us and our suppliers subject to examination.

HONEYWELL - CONSUMABLES SOLUTIONS

Vice President Of Quality



## M & M Aerospace Hardware, Inc.

P.O. Box 025263, Miami, FL 33102-5263 • Tei: 305.925.2600 • Fax: 305.507.7191
Plent Location: 10000 N.W. 15th Terrace, Miami, FL 33172 • SiTA: MIAMMOR
www.mmaero.com

#### **Material Certification**

The items set forth on the purchase order referred to below have been visually inspected and the dimensions thereof have been measured by us, and based upon the aforesaid, as well as the representation made to us by the manufacturers of the items subject of such purchase order, we hereby certify that such items are in conformity with all current governmental and manufacturer's requirements, specifications, and drawings. Said items are in new condition and have not been obtained from any U.S. Government or Military source and are traceable to M&MAerospace Hardware, inc.

FIRM: HCS/M&M AEROSPACE

PURCHASE ORDER#: 0928922

LNES QUANTITY U/N PART-NUMBER CUST REFÉ LOT-NUMBER NAMUFACTURER CCODE

0001 3400 RA 200058 0907 BREEZE CLAMPS 72586



Certificate Nº 556a

08/21/08

Vice President of Quality



## BREEZE INDUSTRIAL PRODUCTS CORPORATION

Certified to ISO/TS 16949 & ISO 9001 Standards

3582 Tunnelton Road, Saltsburg, PA 15681-9594, U.S.A.

Tel 724-639-3571 · Fax 724-639-3020

10/02/2007

M & M AEROSPACE HARDWARE INC 10000 N.W. 15TH TERRACE MIAMI,FL 33172

#### **CERTIFICATE OF CONFORMANCE:**

I hereby certify that this shipping lot of

were produced in accordance with raw material, dimensional and functional specifications as described on your purchase order OBR159 dated 09/10/2007.

Yours Truly,

BREEZE INDUSTRIAL PRODUCTS CORP.

Gary Athey, Quality Engineer

Breeze Order No. 222034

CERTSTD

MCC

157 F

www.breezeclamps.com

E-Mail: breeze@breezeclamps.com



## BREEZE INDUSTRIAL PRODUCTS CORPORATION

Certified to ISO/TS 16949 & ISO 9001 Standards

3582 Tunnelton Road, Saltsburg, PA 15681-9594, U.S.A.

Clamp Products

Tel 724-639-3571 • Fax 724-639-3020

10/02/2007

M & M AEROSPACE HARDWARE INC 10000 N.W. 15TH TERRACE MIAMI,FL 33172

Per your request, chemical and physical breakdown pertaining to the following:

**OBR159** Your OrderNumber ..... 200065 Your Part Number ..... 200 06 S Our Part Number ..... 0907 Lot Number ..... 10000 Quantity Shipped .....

BAND- TYPE 301 STAINLESS STEEL

Chemical -C=0.15 max Mn=2.00 max P=0.040max S=0.030 max Si=1.00 max Cr=16.0-18.0 Ni=6.0-8.0 Mo=0.75 max Cu=0.75 max

Mechanical- Tensile PSI=160,000-180,000 Yield PSI=130,000 min Elongation(in 2")=15% min

SADDLE - TYPE 301 STAINLESS STEEL

Chemical -C=0.15 max Mn=2.00 max P=0.040max S=0.030 max Si=1.00 max Cr=16.0-18.0 NI=6.0-8.0 Mo=0.75 max Cu=0.75 max

Mechanical- Tensile PSI=90,000-120,000 Yield PSI=40,000 min Elongation(in 2")=50% min

HOUSING- TYPE 301 STAINLESS STEEL

Chemical -C=0.15 max Mn=2.00 max P=0.040max S=0.030 max SI=1.00 max Cr=16.0-18.0

NI=6.0-8.0 Mo=0.75 max Cu=0.75 max Mechanical- Tensile PSI=90,000-120,000 Yield PSI=40,000 min Elongation(in 2")=50% min

SCREW - TYPE 410 STAINLESS STEEL

Chemical - C=0.08-0.15 Mn=1.00 max P=0.040 max S=0.030 max Si=1.00 max Cr=11.5-13.5 Mechanical--Tensile PSI=85,000 max

Please contact your customer service representative if additional information is required.

Breeze Order No. 222034

Yours Truly,


BREEZE INDUSTRIAL PRODUCTS CORP.

Gary Athey,

Quality Engineer

E-Mail: breeze@breezeclamps.com

www.breezeclamps.com



## V-B MACHINE CO., INC.

1645 West 135th Street


Gardena, California 90249

Telephone (213) 323-2485

#### CERTIFICATE OF CONFORMANCE

V-B Machine Co., Inc. hereby certifies that the below stated item(s) conform to all applicable specifications standards, and drawings. Evidence of such is on file and available for examination.

CUSTOMER	FASTENER DIMENSIONS	·
P.Ò	03292	PART NOAN5C34A
QUAN.	164 PCS	INVOICE NO
INVOICE DA	TE <u>2/17/1990</u>	W.O. NO. LOT# 1986
		By Calia Bears
		DATE <u>2/17/1990</u>



## V-B MACHINE CO., INC.

1645 West 135th Street


Gardena, California 90249

Telephone (213) 323-2485

#### CERTIFICATE OF CONFORMANCE

V-B Machine Co., Inc. hereby certifies that the below stated item(s) conform to all applicable specifications standards, and drawings. Evidence of such is on file and available for examination.

CUSTOME	R FASTENER DIMENSIONS	·
P.O	03292	PART NO. ANSC34A
QUAN	164 PCS	INVOICE NO
INVOICE	DATE 2/17/1990	- W.O. NO. LOT# 1986  BY Celia Bears
		BY



94-03 104th Street, Ozone Park, N.Y.11416 Tel: (718) 847-6321 ~ Fax: (718) 847-8414

SITA

No: 1104189

## CERTIFICATE OF CONFORMITY

CORE AVIATION SERVICES 16305 E TWIN ACRES DRIVE GILBERT, AZ 85298  Customer PO PO23232  Part No. Des			CORE A 16305 E 1 GILBER	TWIN A	CRES DRIV		
PO23232		Ship Dat					•
PO23232		Ship Dat					
			ie .			Airway Bill Nun	nber
Part No. Des	T PO Ship Date Airway Bill Number  232 3/25/2014  Description Cond Qty S/L Lot/Batch# Mfg Name Control Number  BOLT NE 50 9 1986 VB FD3292/90AC  FASTENER DIMENSIONS CERTIFICATE OF CONFORMANCE WITH MANUFACTURER NAME & LOT ONLY. NO STATISTICAL PROPERTY OF THIS ORDER.  URNISHED IN NEW UNUSED CONDITION AND ADHERES TO ARRIVED TO ARRI						
	cription	Cond	Qty	S/L	Lot/Batch#	Mfg Name	Control Numbe
Serial#:FD3292/90AC							
LINE NOTE ALL DOC'S FASTENER DIME FURTHER TRACEABILITY IS AVAILABLE	NSIONS CERTIFICATE ( OR OBTAINABLE NOR	OF CON IS A COI	FORMANO NDITION (	CE WITH OF THIS	MANUFACTUR ORDER.	RER NAME & LO	T ONLY. NO
THE ABOVE IS FURNISHED IN NEV SPECIFICATIONS.	V UNUSED CONDITION	AND AD	HERES TO	O APPLIO	CABLE MANUF	ACTURER'S	
				·			
igned: or and on behalf of Pastener Dimensions, Inc				·. ·			
rint Date: 3/25/2014 JASON Li	NHIE		QA Manag	er		Airway Bill Number  Ot/Batch# Mfg Name Control Number  6 VB FD3292/90AC  NUFACTURER NAME & LOT ONLY. NO DER.	



#### FASTENER DIMENSIONS INC.

94-03 104th Street, Ozone Park, N.Y.11416 Tel: (718) 847-6321 ~ Fax: (718) 847-8414

#### Packing Slip

Invoice #: I104189 Invoice Date: 3/25/2014

Time: 4:24:21 PM

Page: 1

To: CORE AVIATION SERVICES 16305 E TWIN ACRES DRIVE GILBERT, AZ 85298 **USA** ATTN: ACCTS PAYABLE

Ship To: CORE AVIATION SERVICES 16305 E TWIN ACRES DRIVE GILBERT, AZ 85298 USA

Cust. PO#: PO23232

Terms: NET 30

Ship Via: FEDEX STD O/N CUSShip Via Acc: 227069074

Order Date: 3/25/2014

# of Items: 1

# of Boxes: 1

Weight: 5

Prepared By: TESS OCCHIONE Sales Order: S73515

Ship Log #: 1

Ship Order:

Customer #: 31950

VAT #:

Cust VAT #:

Ship Date: 3/25/2014

**Buyer: ACCTS PAYABLE** 

FOB: OZONE PARK, NY

AWB:

Shipment:

m	Part Number/Description	Shipped	BackOrd	CD				Unit Price	UOM	Total Am
1	AN5C34A BOLT	50	0	NE			<del> </del>	<del> </del>	EA	
-	Serial #: FD3292/90AC									
	Loc/Whse: LOP S01				1					
		1		1.			1			
	CERT 6 MC N/C									
	EST SHIP DATE 03/25/14 EST DEL DATE 03/26/14									
	EST DEL DATE 03/20/14		-				1	,		
		]					1	ł.		
	Unless otherwise noted, this sales order or quote	1		1	1.		1			
	may include Munitions List Items (MLI) or	1	ļ	ŀ				1	1 1	
-	Commerce Controlled List Items (CCLI). MLI/CCLI	ļ								
	property is controlled by the US Government and in	I		1					1 1	
	many cases cannot be transferred (Exported, sold		İ							
	or given) to a Foreign Country, a Non U.S.						1		1	
	Citizen/National or a Non-Permanent U.S. Resident				1				1	
	without a valid State/Commerce Department Export Authorization. It is the responsibility of you (The	ļ								
	Purchaser) to determine what the applicable		1		1					
	requirements may be and to obtain all necessary				ļ			1		
	authorizations, Licenses or Approvals.		ł							
	authorizations, Electrices of 5 pp. state.	7	ľ		[		1			
		1 .			1		1	1		
		<u> </u>		1	1		1	ļ		
		]	,	1	1		1			
		1 .			1		1.		1 ]	
			[	1	1			1		
		1			1			*		
	1	1		1	1		1 .			7.
			1	ل	<u> </u>			<u> </u>		L
ma	terial is to be returned without an FDI RMA# on outside	le of package	e. All claims	for:	shortag	es,				
	or defective material must be made within 7 days of re	eceint of part	s. All.mater	ial re	turned.	·				

Parts listed on this invoice remain the property of Fastener Dimensions Inc. until payment has been satisfied. Any balance that remains unpaid after 30 days will be subject to a monthly finance charge of 1.65%.

Any litigation in connection with invoice/order is to be held in Queens County Court, New York State. All legal fees and court costs incurred are the sole responsibility of purchaser. Purchaser in accepting this material acknowledges all above terms and conditions.

There is an retuned check fee of \$50.00 on any return checks.



Contact: Kaizer Husein C.O.R.E Aviation Services, Inc. 16305 E. Twin Acres Dr. GILBERT, AZ 85298 Element Materials Technology 15062 Bolsa Chica

15062 Bolsa Chica Huntington Beach, CA 92649-1023 USA

P 714 892 1961 F 714 892 8159 T 888 786 7555 into bh@element.co

info.hb@element.com element.com

#### \*\*\*CORRECTED TEST CERTIFICATE — EAR-CONTROLLED DATA 10/25/2013\*\*\*

Date:

10/24/2013

Purchase Order Number: Work Order Number SRO131010-1

COR005-10-23-51238-1

Part No.:	AN3C42A
Description:	BOLT
Specification:	AN3C42A REV. 2, NASM 6812 REV. 3, MIL-S-18732D (431)

#### CHEMICAL ANALYSIS

CITEMICAL ATALISIS						
Element		Result %	Min %	Max %		
С	=	0.13	0.13	0.17		
Mn	=	0.49	0.30	0.80		
Si	=	0.36	0.20	0.60		
Ρ	=	0.019	0.000	0.040		
S	<	0.001	0.000	0.030		
Ċr	=	16.02	15.50	16.50		
Ni	=	2.15	2.00	3.00		
Мо	=	0.05	0.00	0.25		
N	=	0.07	0.00	0.10		
Fe	=	Balance	Balance	Balance		

Chemical Analysis performed by Optical Emission per SOP 2.02, Revision 15 Nitrogen by Fusion per SOP 13.00, Revision 9

#### **AXIAL TENSILE (ROOM TEMPERATURE)**

Requirement:	2,210 lbs m	in.	
Test Method:	MIL-STD-13	312-8A / NASM1312-8(2)	
Sample		Result (lbs.)	Location of Fracture
1		3,373	THREAD

	DIMENSIONAL INSP	ECTION	
Specification:	Customer Info		
Drawing Dimension		Actual	
"B"	.376		
"D"	.126		
"LENGTH"	4.282		
"Grip"	3.875		
"A"	.1886		
"MAJOR ø"	.1880		
"R"	.015		
	<del>-  </del>		

One bolt was tested as a representative of a batch of 96 botts received\*\*\*

MATERIAL CONFORMS TO SPECIFICATION

This document contains technical data whose export and re-export/ retransfer is subject to control by the U.S. Department of Commerce under the Export Administration Act and the Export Administration Regulations. The Department of Commerce's prior written approval may be required for the export or re-export/retransfer of such technical data to any foreign person, foreign entity or foreign organization whether in the United States or abroad.

Respectfully submitted

15062 Bolsa Chica, Huntington Beach, CA 92649 (714) 892-1961 ph • (714) 892-8159 fax www.element.com

Justin Bouavanh Quality Administrator

The information contained in this certification represents only the material submitted and is certified only for the quantities tested. Reproduction except in full is reserved pending written approval. The recording of false, fictitious, or fraudulent statements or entries on the certificate may be punishable as a felony under federal law. All testing was performed in a mercury free environment. All testing performed in accordance with the latest edition of the applicable ASTM, or other Federal Test Method in effect at the time of test.

Page 1 of 1

BUTLER, INC. 1600 W. 166th STREET GARDENA, CA 90247


# **Packing List**

Customer No.: C.O.R.E

Ship To: CORE AVIATION SERVICES, INC. 16305 E. TWIN ACRES DR. GILBERT, AZ 85298

Bill To: CORE AVIATION SERVICES, INC. 16305 E. TWIN ACRES DR. GILBERT, AZ 85298

Date	Sh	ip Via	FOB	Terms
03/08/13	UP	S COL	Origin	
Purchase Order	Vumber	Order Date	Sales Person	Our Order Number
STK1210	30	11/02/12		15843
Ouantity Req   Shipped   B.(	D.M.	tem Number	Description	
1000 500	500 each	AN3C41A	LOT 15843	







1600 W. 166th STREET **GARDENA, CALIFORNIA 90247** (310) 323-3114 / FAX (310) 324-0914



CAGE # 59053

C.O.R.E. AVIATION SERVICES 16305 E. TWIN ACRES DRIVE GILBERT, AZ 85298

#### CERTIFICATE OF COMPLIANCE

BUYER ORDER NO.: STK121030

ITEM: 1

NSN#:

PART NUMBER: AN3C41A

REV: 2

DESCRIPTION: BOLT, HEX HEAD, .1900-32 x 4.156, 431, PASSIVATE

SPECIFICATIONS: NASM6812-3, ASTM A 493-09, AMS-H-6875B, AMS2700E

QUANTITY: 500

LOT #: 15843

HEAT #: G17064

BUTLER INC. HEREBY CERTIFIES THAT THIS LOT HAS BEEN PRODUCED, SAMPLED, INSPECTED, TESTED, MARKED AND PACKAGED IN ACCORDANCE WITH ALL CONTRACT, DRAWING AND SPECIFICATION REQUIREMENTS. FURTHERMORE, BUTLER INC. CERTIFIES THAT DOCUMENTED EVIDENCE OF COMPLIANCE WITH ALL CONTRACT, DRAWING AND SPECIFICATION REQUIREMENTS APPLICABLE TO THIS LOT IS ON FILE AT OUR PLANT IN THE FORM OF MECHANICAL, METALLURGICAL AND/OR CHEMICAL TEST REPORTS AND INSPECTION RECORDS, AND IS AVAILABLE FOR BUYERS REVIEW.

DATE OF EXECUTION: 03/08/13

SIGNATURE:

TITLE:

O.A. MANAGER

Form #BIC015 Rev 11/97

3 . .

613-267-3752 FAX 613-267-5617 619-833-9632 FAX 519-833-2213 870-382-2980 FAX 870-382-6986 803-283-3363 FAX 803-283-6303



FOND DU LAC, WI UNION, IL PERRIS, CA 920-926-0609 FAX 920-926-0652 815-923-2131 FAX 815-923-2126 951-657-2105 FAX 951-943-8061

THE LEADING MANUFACTURER OF STAINLESS STEEL AND NICKEL ALLOY WIRE PRODUCTS EXECUTIVE OFFICES: PERTH, ON CANADA - EMAIL: sales@centralwire.com

PERRIS SERVICE CENTER 2500 "A" STREET TEL: 909-657-2105

PERRIS, CA 92570-9361 FAX: 909-943-6061

## CERTIFICATE OF CONFORMANCE

	Commence of the same of the sa		
SOLD		SHIP TO	BUTLER 1600 W 166TH GARDENA CA 90247
	USA		USA

		Lauranica	ORDER NO.		WORK ORDER	DATE SHIPPED
CUSTOMER'S PO NO. 22688 LINE 1	TYPE OF CERT	CUSTOMER 105537	1173213	1	2010586	5/09/12
SPECIFICATIONS: CAPABLE ASTM-F-593-02						
** **	**					

ITEM DESCRIPTION		
DESCRIPTION	SPEC. CLASS	HEAT
Cold Heading 431 SKIN PASSED Seam Free		G17064
.2125 Coils Std. Techcote	QTY SHIP 558	055

		CHE	MICAL ANALY	SIS		
c . 15	MN .51	SI . 29	P .017	<b>s</b> .006	CR 16.03	Ni 1.65
MO .14	CU .16	N 09	W W .05	.05	co < .05	SN . 007
CB .01	AL < .01	TI < .01				

		1	VECHANICAL	PROPERTIES	2002-045-050-000-000-000-000-000-000-000-000	(A	B)
AS SHIPPED PR	IOPERTIES:	,			REVI	DATE:	-11-12
TENSILE 112.000 KSI							
AFTER HEAT TE	REAT PROPERTIES	•			*		
TENSILE 225000 KSI	YIELD -162::000-	ELONGATION 15 - 000	R/A 51.000	· - : <u>-</u> .		, v	· -

\* DFARS 252.225-7014 ALT.I COMPLIANT \*

The second secon

MATLUSED 15843

QUALITY REPRESENTATIVE

The material as shipped is free from mercury contamination. I certify the chemical analysis and physical and mechanical test results reported above are correct as contained in the records of the company.

Very truly yours.

AUTHORIZED SIGNATURE



Dunidrit Specialty Steel, LLC

¥.,

P.O. 80×319 820 Brigham 7d.

Quelty System Registered of 150,9001 and 459100

# Wateriel Cerufication

e e	NOTE CHESTS WAS WHESTER P.O. STREEK!	2042407 20428373 2 2040376-2				Ö	9	P. 6: WENT 11/21/2014	3				, quality	1/27/22 0816	_ 1
F-0	163	CALCAL VESTE AND SERVICE AND S			, , ,	a 64.39	80	N TONE OF STREET		• •		:	•		
		DECOM. 21. 60180-9730	7730	,		(De	,	URICH, IL 60180	60180		•				:

\_ ·

COULT AND DESK W COULT

Size	) = E 8
Pos	
PHE	7 Bal
1	* 
88	
64	ile.
- 11	RE 8 =
1 -	
in a	9 9
22	4602
ľ	
#8	35 6 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8
9.8	e 6
	8488
. 8	<b>m</b>
100	e e
Le	8 8 8 8 1 8
1	
	F A
=	1 -
1.	
tone muber	
1	
Į,	
1 12 2	

NADORES (NA SECTION): RG 24.8
THE CADASTON TO 228.1 163.9 10.0

REVIEWED BY:

ACKIONIO PARTICID 7/8 - 0/0

migric or oxiden: Dea

MAT'L USED 1584-FOR LOT # 1584

Kiloba M. Berry

(Sitola M. Barry |

चार्या ।



10643 S. NORWALK BL-SANTA FE SPRINGS CALIFORNIA 90670 562-944-8808 800-622-6624 FAX 562-944-1499 www.continentalht.com

## CERTIFICATION

CERTIFICATION NUMBER 623902

BUTLER INC 1500 W 166TH STREET GARDENA, CA 90247-4704 S BUTLER INC H 1600 W 166TH STREET GARDENA, CA 90247-4704

CUSTOMER SHIPPER CUSTOMER P.O. NUMBER DATE RECEIVED CUSTOMER NUMBER 24425 01/18/13 0047500 PART NUMBER / DESCRIPTION WEIGHT QUANTITY PANS ANGC41A REV. 2 LOT# 15843 161 3512 COUPONS 10 HEAT# G17064 END USER: C.O.R.E. H/T. 125-145 KSI PER P.O. CASE DEPTH MAX-CROSS SECTION HARDNESS MATERIAL

, 215

431 S/S 26-32 HRC

SPECIFICATIONS AMS 2759/5 D AMS-H-6875 E

PROCESS	SPEC TEMP	SPEC TIME	EQUIP. ACT TEMP	TIMEIN	TIME ATHEAT	TIME OUT	ATMOS DEWPT	Q-MED & TEMP	DATE
RACK VERT			RACK	4.00 Y	At a timest				01/30
			WIRE	. 08 Y					01/31
LOADCOUPLE	,	4.5				· · · · · · · · · · · · · · · · · · ·	Č.,	1. Dec	01/31
SET V P		Win - W	ATMOS	. 02 1			9 i /~	1.5.164	01/31
PREHEAT	1425	:30	V1 1425	01:45 0	4:10	989 as a	200 40 100	, a a a	. —
7 m / mm / m/m / m	1875	: 45	V1 1875	04:40 0	6:10	06:55 V	AC	OIL	01/31
AUSTENITIE					0:40	12:40 N	IIT	A/W	01/31
SUBZERO	-100	2:00	CB3 -100		The Section 1		IR	AVC	01/31
TEMPER 15	1125	4:00	D17 1125	20:09 2	1:05	Commanda management			
		3:30	D18 1125	07:42 0	8:40	12:10 4	AIR	A/C	02/02
TEMPER 15	1125	3:30							02/07
GLASS BEAD			B2	, 3 . 50 Y					
* * Y T T T T T T T T T T T T T T T T T				1 2		4. 34			

REVIEWED BY: (A5)
DATE: 2-11-13

JN (Haw 2/11/13

HARDNESS: 26-29 HRC QTY TESTED: 15 QTY ACCT: 3522 QTY REJT: 0

RANDALL THOMAS

DATE 02/08/13

JIHMY MARTINEZ/

OF DON LOWMAN

This Process Certification covers thermal processing and/or hardness testing only. No particular mechanical properties of any material should be assumed, or are implied, as a result of the remainded processing and/or hardness testing on this Process Certification. Material processed in a mercury-, radium- and asbestos-free environment. Unless otherwise specified above, for all AMS material specifications, no qualification or periodic testing has been performed at L. Furnaces Certification. Material processed in a mercury-, radium- and asbestos-free environment. Unless otherwise specified above, for all AMS material specifications, no qualification or periodic testing has been performed at L. Furnaces Certification. Material processed in a mercury-, radium- and asbestos-free environment. Unless otherwise specified above, for all AMS material specifications, no qualification or periodic testing has been performed at L. Furnaces Certification. Material processed in a mercury-, radium- and asbestos-free environment. Unless otherwise specified above, for all AMS material specifications, no qualification or periodic testing has been performed at L. Furnaces Certification. Material processed in a mercury-, radium- and asbestos-free environment. Unless otherwise specified above, for all AMS material specifications, no qualification or periodic testing has been performed.

ALL FURNACES CERTIFIED TO MEET THE REQUIREMENTS OF AMS-H-6875, CURRENT REVISION. HARDNESS TESTING PERFORMED TO THE LATE REVISION OF ASTM E 384, ASTM E 10, ASTM E 110, ASTM E 140 AND ASTM A 370.

#### Allblack Company,LLC

13090 Park St. Santa Fe Springs, CA 90670 Phone: (562) 946-2955 Fax: (562) 946-6665

#### Certificate of Conformance

To: Butler Inc.

1600 West 166th Street Gardena, CA 90247 **United States** 

From: Allblack Company, LLC

13090 Park St.

Santa Fe Springs, CA 90670

Packing List No: 333721

Shipping Date: 03/06/13

Today's Date: 03/06/13

PO Number: 24741

#### MERCURY FREE PROCESS

Quantity

<u>Unit</u> Shipped

LOT

Description

PASSIVATE PER AMS2700E AN3C41A REV 2 LOT#15843 HEAT#G17064

Job Number

453064

GENTLEMEN: This is to certify that the following articles have been processed and/or inspected as indicated above in accordance with military standards and specifications.

431 MATL 2 PANS 45# 1,253 PIECES

Inspector's Initials Allblack Company,LLC

Page 1 of 1



# ER INC.

1600 W. 166th STREET GARDENA, CALIFORNIA 90247 (310) 323-3114 / FAX (310) 324-0914



#### CERTIFED TEST REPORT

CAGE CODE: 59053

PART NO: AN3C41A REV: 2

LOT NO: 15843 HEAT NO: G17064

MAT'L: 431

PROCUREMENT SPEC: NASM6812 REV: 3

LOT SIZE: 1295

TEST DATE: 03/07/13

**CERTIFICATION NO: 4662** 

3. 7. 4. 8.  Technician:  Test type: Axial tensile Results: 1. 3340 lbs 5. 3 2. 3438 lbs 6. 3. 3272 lbs 7. 4. 3337 lbs 8.  Technician:  Flavio Ron  Test type: Double shear Results:	3425 lbs	7est value: N/A  9. 10. 11. 12. Stamp:  Test value: 22101  9. 10. 11. 12.	13. 14. 15.	17. 18. 19. 20. Test method: NASM1312-8	21. 22. 23. 24. Butier procedure no: 21. 22.	25. 26 27. 28. BIQOP 8.2.4-5.4 25.	29. 30. 31. 32. 29.
1. 5. 2. 6. 3. 7. 4. 8.  Technician:  Test type: Axial tensile Results: 1. 3340 lbs 5. 3 2. 3438 lbs 6. 3. 3272 lbs 7. 4. 3337 lbs 8.  Technician:  Flavio Ron  Test type: Double shear Results:	3425 lbs	10. 11. 12. Stamp:  Test value: 2210 I 9. 10. 11.	14. 15. 16. ——————————————————————————————————	18. 19. 20. Test method: NASM1312-8 17. 18.	22. 23. 24. Butler procedure no: 21.	26 27. 28. BIQOP 8.2.4-5.4 25.	30. 31. 32.
2. 6. 3. 7. 4. 8.  Technician:  Test type: Axial tensile Results: 1. 3340 lbs 5. 3 2. 3438 lbs 6. 3. 3272 lbs 7. 4. 3337 lbs 8.  Technician:  Flavio Ron  Test type: Double shear Results:	3425 lbs	11. 12. Stamp: Test value: 2210 F 9. 10. 11.	15. 16. ——————————————————————————————————	19. 20. Test method: NASM1312-8 17. 18.	23. 24. Butler procedure no: 21.	27. 28. BIQOP 8.2.4-5.4 25.	31. 32.
3. 7. 4. 8.  Technician:  Test type: Axial tensile Results: 1. 3340 lbs 5. 3 2. 3438 lbs 6. 3. 3272 lbs 7. 4. 3337 lbs 8.  Technician: Flavio Ron  Test type: Double shear Results:	3425 lbs	11. 12. Stamp: Test value: 2210 F 9. 10. 11.	16. bs min 13. 14.	20.  Test method: NASM1312-8  17. 18.	Butler procedure no:	28. BIQOP 8.2.4-5.4 25.	32.
4. 8.  Technician:  Test type: Axial tensile Results: 1. 3340 lbs 5. 3 2. 3438 lbs 6. 3. 3272 lbs 7. 4. 3337 lbs 8.  Technician:  Flavio Ron  Test type: Double shear Results:	3425 lbs	12. Stamp:  Test value: 2210 F 9. 10. 11.	16. bs min 13. 14.	Test method: NASM1312-8 17. 18.	Butler procedure no:	BIQOP 8.2.4-5.4 25.	29.
Technician:  Test type: Axial tensile Results:  1. 3340 lbs	3425 lbs	Stamp:	bs min 13. 14. 15.	Test method: NASM1312-8 17. 18.	21.	25.	
Test type: Axial tensile Results:  1. 3340 lbs	3425 lbs	7 Test value: 2210 F	13. 14. 15.	17. 18.	21.	25.	
Results:  1. 3340 lbs 5. 3  2. 3438 lbs 6.  3. 3272 lbs 7.  4. 3337 lbs 8.  Technician: Flavio Ron  Test type: Double shear Results:	1 - <del>1 - 1</del> -	9. 10. 11.	13. 14. 15.	17. 18.	21.	25.	
Results:  1. 3340 lbs 5. 3  2. 3438 lbs 6.  3. 3272 lbs 7.  4. 3337 lbs 8.  Technician: Flavio Ron  Test type: Double shear Results:	1 - <del>1 - 1</del> -	10. 11.	14. 15.	18.			
1. 3340 lbs 5. 3 2. 3438 lbs 6. 3. 3272 lbs 7. 4. 3337 lbs 8.  Technician: Flavio Ron  Test type: Double shear Results:	1 - <del>1 - 1</del> - 1	10. 11.	14. 15.	18.			30
2. 3438 lbs 6. 3. 3272 lbs 7. 4. 3337 lbs 8.  Technician: Flavio Ron  Test type: Double shear Results:	1 - <del>1 - 1</del> - 1	11.	15.	* ***	22.	AU.	
3. 3272 lbs 7. 4. 3337 lbs 8.  Technician: Flavio Ron  Test type: Double shear Results:		11.	15.	40			31.
4. 3337 lbs 8.  Technician: Flavio Ron  Test type: Double shear Results:			• *	19.	23.	27.	
Technician: Flavio Ron  Test type: Double shear Results:		CON TO	. 16	17, 	24.	28.	32.
Test type: Double shear Results:	<del></del>	(32)			New ,		
Test type: Double shear Results:		Com. (20)		÷			
Test type: Double shear Results:		Stamp:	****				
Results:			1 a design	Test method: NASM1312-13	Butler procedure no:	BIQOP 8.2.4-5.5	
		Test value: 4250 l	os min	Test mediod. 19765911512			
1 521/1 lbc 5 5				1.7	21.	25.	29
1. 3314103 ***	5337 lbs	. <del>9</del> .	13.	17.	22.	26.	30
2. 5335 lbs 6.		10.	14.	18.		27.	31
		11.	15.	19.	23.	28.	32
3. 5322 lbs 7. 4. 5330 lbs 8.		12.	16.	20.	24.	20.	
Technician: Flavio Ron	2	Stamp:	·,				
Test type: Recess torque Deformation allowable: Results:		Test value: N/A Installation:		Test method: Removal:	Butler procedure no: Sample size:		
Technician:		Stamp:					
Test type: Magnetic perr Results:	meability	Test value: N/A Sample size:		Test method:	Butler procedure no:		
Technician:		Stamp:					

Material, as tested, conforms to specification requirements. The information on this report represents only the material tested. This report shall not be reproduced except in full without the written approval of Butler Inc.

Form #BIC024 Rev 10/02

Page 1 of 1

# CERTIFICATE OF CONFORMANCE C.O.R.E. Aviation Services, Inc.

16305 E. TWIN ACRES DRIVE, GILBERT, AZ 85298, USA Phone: 480-497-6136 Fax: 480-497-3568 FAA Sta. #: Web:

Invoice : CA140410-5 Date : 04/10/2014 PO : 23711

PO: 23711 Issued By: KAIZER HUSEIN

Page : 1 of 1

THIS IS TO CERTIFY THAT ALL GOODS ON C.O.R.E. INVOICE WERE SHIPPED IN ACCORDANCE WITH THE PART SPECIFICATIONS ON CUSTOMERS PO & TO THE BEST OF OUR KNOWLEDGE AND BELIEF, MEET THOSE STANDARDS.

ITEM(S) WERE DETERMINED TO BE IN STATED CONDITION BY VISUAL CONDITION AND OR IN ACCORDANCE WITH RECEIVING RECORDS.

ALL DETAILED RECORDS ARE KEPT ON FILE AT C.O.R.E. AVIATION SERVICES FOR ANY FUTURE CUSTOMER INSPECTION.

Item	Part Number/Description		Shipped	CD
1	AN3C41A Lot:15843	BOLT	25	NE
2	AN3C42A Lot:COR005-10-23-51238-1	BOLT	25	NE
3	AN5C34A Lot:1986	BOLT	10	NE
4	20006S Lot:0806;0907	CLAMP S	15	NE

W.